




Notes

LEAP
5.1.0.334 14.06.2005

Crossover
Shop


Person:
Company:

Project:
File: Dali Lektor 3 new.lcd

Jan 23, 2012
Mon 9:19 pm

LINEAR
S Y S T E M

SPL vs Freq




Map

- 6: SPL@1M,0H,0V Tweeter dome
- 7: SPL@1M,0H,0V Woofer 6,5"
- 8: SPL@1M,0H,0V Sum(C)

Notes

Voltage vs Freq




Map

— 4: VoltTF Tweeter
— 5: VoltTF Mid

Notes

Impedance vs Freq




Map

- 1: Zload on Gen Tweeter
- 2: Zload on Gen Woofer
- 3: Zload all Parallel

Notes

SPL vs Angle



Curve	Freq	BW	Q	DI
—	700.00	180	2.0	3.0
—	1.00K	180	2.0	3.0
—	1.40K	180	2.0	3.0
—	2.00K	180	2.0	3.0
—	2.50K	180	2.0	3.0
—	3.50K	180	2.0	3.0
—	5.00K	180	2.0	3.0
—	7.00K	180	2.0	3.0
—	10.00K	180	2.0	3.0
—	14.00K	180	2.0	3.0
—	20.00K	180	2.0	3.0
—	700.00	180	2.0	3.0
—	1.00K	180	2.0	3.0
—	1.40K	180	2.0	3.0
—	2.00K	180	2.0	3.0
—	2.50K	180	2.0	3.0
—	3.50K	180	2.0	3.0
—	5.00K	180	2.0	3.0
—	7.00K	180	2.0	3.0
—	10.00K	180	2.0	3.0
—	14.00K	180	2.0	3.0
—	20.00K	180	2.0	3.0

Map

- 12: Plr@700.00Hz,1M,V Tweeter dome
- 13: Plr@1.00KHz,1M,V Tweeter dome
- 14: Plr@1.40KHz,1M,V Tweeter dome
- 15: Plr@2.00KHz,1M,V Tweeter dome
- 16: Plr@2.50KHz,1M,V Tweeter dome
- 17: Plr@3.50KHz,1M,V Tweeter dome
- 18: Plr@5.00KHz,1M,V Tweeter dome
- 19: Plr@7.00KHz,1M,V Tweeter dome
- 20: Plr@10.00KHz,1M,V Tweeter dome
- 21: Plr@14.00KHz,1M,V Tweeter dome
- 22: Plr@20.00KHz,1M,V Tweeter dome
- 23: Plr@700.00Hz,1M,V Woofer 6,5"

Notes
